			2623	2 RECEIVED
Response Under 37 C.F.R. §1.116			ART UNIT	PAGE NUMBER
0	toda		AMINER III, Domínic D.	
09/945,350	08/31/2001	Eddie Drake	2005P12937US	
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	

# AMENDMENTS TO THE CLAIMS

RECEIVED
CENTRAL FAX CENTER

In the Claims, please make the following amendments:

DEC 20 2006

(Currently Amended) A method in a Set Top Box that assists in presenting content to
one or more viewers, the method for providing information about interactions with the viewers,
comprising:

at a Set-Top Box, monitoring received input from the-one or more viewers, the Set-Top box comprising a battery backup, the Set-Top Box comprising a software component adapted to send an event notification responsive to a determination that the Set-Top Box is no longer receiving AC power; and

in response to detecting that the received input is an interaction of a type of interest, sending an event message to an event server, the event message identifying the type of the detected interaction and an indication of the Set-Top Box and receiving new <u>digital</u> content responsive to the event message.

- 2. (Currently Amended) The method of claim 1 wherein when a detected interaction is of a content control type that indicates a change in the digital content, additionally sending an indication of the detected interaction to a content provider, so that the content provider can provide new digital content that corresponds to the indicated change.
- (Withdrawn) The method of claim 1 wherein the event server is an Audience Tracker that tracks information related to audiences for multiple groups of content being simultaneously provided.
- 4. (Original) The method of claim 1 wherein the sending of the event message is performed in real-time.
- 5. (Original) The method of claim 1 wherein the event message additionally includes information specific to a current occurrence of the detected interaction.

12-20-06;03:26PM; ;1-732-321-3030 # 4/ 26

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORN	EY DOCKET NO.
09/945,350	08/31/2001	Eddie Drake	200	5P12937US
			E	KAMINER
<b>5</b>	( )		Saltare	III, Dominic D.
Hesp	onse Under 37 C.I	r.H. §1.116	ART UNIT	PAGE NUMBER
			2529	3

6. (Currently Amended) The method of claim 1 wherein the event message additional RECEIVED includes information related to one or more of the one or more viewers.

DEC 2 0 2006

- 7. (Withdrawn) The method of claim 1 wherein the event message additionally includes information related to the content being presented when the input is received.
- 8. (Currently Amended) The method of claim 1 wherein the Set-Top Box is connected to a display device on which video content is presented to the <u>one or more</u> viewers.
- 9. (Currently Amended) The method of claim 1 wherein the Set-Top Box is connected to one or more speakers on which audio content is presented to the one or more viewers.
- 10. (Currently Amended) The method of claim 1 wherein the Set-Top Box assists in presenting the <u>digital</u> content to the <u>one or more</u> viewers by receiving the <u>digital</u> content and providing the <u>digital</u> content to a content presentation device.
- 11. (Original) The method of claim 10 wherein the content presentation device is a television.
- 12. (Currently Amended) The method of claim 1 wherein the Set-Top Box assists in presenting the <u>digital</u> content to the <u>one or more</u> viewers by modifying received <u>digital</u> content before the <u>digital</u> content is provided to a content presentation device.
- 13. (Currently Amended) The method of claim 1 wherein the Set-Top Box assists in presenting the <u>digital</u> content to the <u>one or more</u> viewers by generating content to be provided to a content presentation device.
- 14. (Original) The method of claim 1 wherein the event message is sent using a User Datagram Protocol.

12-20-06;03:26PM; ;1-732-321-3030 # 5/ 26

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	
09/945,350	08/31/2001	Eddle Orake	2005P12937US	
		EXAMINER Seitareili, Dominic D.		
Respo	nse Under 37 C.F	F.R. §1.116	ART UNIT	PAGE NUMBER
			2623	4

- 15. (Currently Amended) The method of claim 1 including, in response to detecting a powerdown-removal of AC power from the Set-Top Box, sending an event message to the event server indicating the powerdown-removal of AC power.
- 16. (Original) The method of claim 1 including receiving a ping message from the event server, and in response sending a ping response message that indicates that the Set-Top Box is functioning.
- 17. (Original) The method of claim 1 including receiving a message from the event server requesting status information related to the Set-Top Box, and in response gathering the requested status information and sending the gathered information to the event server.
- 18. (Currently Amended) The method of claim 1 including receiving a message from the event server requesting information from the one or more of the viewers, and in response obtaining the requested information from the one or more viewers and sending the obtained information to the event server.
- 19. (Original) The method of claim 1 wherein the detected interaction is an instruction to change a channel.
- 20. (Currently Amended) The method of claim 1 wherein the detected interaction is an instruction to control flow of the digital content being presented.
- 21. (Currently Amended) The method of claim 1 wherein the digital content is sent from a content server to the Set-Top Box in a multi-cast mode.
- 22. (Currently Amended) The method of claim 1 wherein the digital content is sent from the a content server to the Set-Top Box in a single-cast mode.

12-20-06;03:26PM; ;1-732-321-3030 # 6/ 26

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORN	EY DOCKET NO.
09/945,350	08/31/2001	Eddie Drake	200	5P12937US
		EXAMINER		
D			Saltare	ili, Dominic D.
Resp	onse Under 37 C.F	H. §1.116	ART UNIT	PAGE NUMBER
			2522	

23. (Currently Amended) A computer-readable medium encoded with computer software whose contents adapted to cause a computing device to provide information about interactions with one or more viewers of content being presented, the computing device for assisting in presenting the centent to the viewers, the providing of information by performing perform a method comprising:

at the computing device, monitoring received input from the one or more viewers, the computing device comprising a battery backup, the computer software comprising a software component adapted to send an event notification responsive to a determination that the computing device is no longer receiving AC power, and

in response to detecting that the received input is an interaction of a type of interest, sending an event message to an event server that identifies the type of the detected interaction and that includes an indication of the computing device or of one or more of the one or more viewers and receiving new digital content responsive to the event message.

- 24. (Original) The computer-readable medium of claim 23 wherein the computing device is a Set-Top Box.
- 25. (Currently Amended) The computer-readable medium, of claim 23 wherein the computer-readable medium is a memory of a-the computing device.
- 26. (Currently Amended) The computer-readable medium of claim 23 wherein the computer-readable medium is a data transmission medium method further comprises transmitting a generated data signal containing the contents digital content.
- 27. (Currently Amended) The computer-readable medium of claim 23 wherein the contents-computer software are-comprises instructions that when executed cause the computing device to perform the method.

12-20-06;03:26PM; ;1-732-321-3030 # 7/ 26

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNE	Y DOCKET NO.	
09/945,350	08/31/2001	Eddle Drake	2005P12937US		
•		EXAMINER			
0		- D - 04 - 440	Saltare	III, Dominic D.	
Hespo	nse Under 37 C.	F.H. §1.116	ART UNIT	PAGE NUMBER	
			0000		

28. (Currently Amended) A computing device for providing information about interactions with one or more viewers of content being presented, the computing device for assisting in presenting the content to the viewers, comprising:

at the computing device, a monitoring component capable of monitoring received input from the one or more viewers, the computing device comprising a battery backup, the computing device comprising a software component adapted to send an event notification responsive to a determination that the computing device is no longer receiving AC power; and

a notification component capable of, in response to detecting that the received input is an interaction of a type of interest, sending an event message to an event server that identifies the type of the detected interaction and that includes an indication of the computing device or of the one or more viewers and receiving new digital content responsive to the event message.

- 29. (Original) The computing device of claim 28 wherein the monitoring component and the notification component are executing in memory of the computing device.
- 30. (Original) The computing device of claim 28 wherein the computing device is a Set-Top Box.
- 31. (Currently Amended) A computing device-for-providing information about interactions with one or more viewers of content being presented, the computing device for assisting in presenting the centent to the viewers, comprising:

means for monitoring received input from the one or more viewers, the computing device comprising a battery backup, the computer software comprising a software component adapted to send an event notification responsive to a determination that the computing device is no longer receiving AC power; and

means for, in response to detecting that the received Input is an Interaction of a type of interest, sending an event message to an event server that identifies the type of the detected interaction and that includes an indication of the computing device or of the one or more viewers and receiving new <u>digital</u> content responsive to the event message.

12-20-06;03:26PM; ;1-732-321-3030 # 8/ 26

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORN	Y DOCKET NO.
09/945,350	08/31/2001	Eddle Drake	2005P12937US	
		EXAMINER		
D	•			II, Dominio D.
Response Under 37 C.F.R. §1.116			ART UNIT	PAGE NUMBER
			2623	7

32. (Currently Amended) A method in an event tracking server for monitoring interactions between-viewers of content presented on content presentation devices and Set-Top Boxes associated with those content presentation devices, the Set-Top Boxes for assisting in presenting the content to the viewers, comprising:

at an event tracking server, the event tracking server adapted to monitor previous displays of a specified advertisement and analyze subsequent interaction events to determine a disapproval by advertisement viewers of the specified advertisement, the event tracking server adapted to change advertisement content responsive to the disapproval by advertisement viewers:

receiving a plurality of event messages that are each sent from one of the-multiple Set-Top Boxes in response to an interaction with the one Set-Top Box by one or more viewers of a content presentation device associated with the one Set-Top Box;

determining one or more of the Set-Top Boxes from which an event message has not been received for a predetermined period of time;

sending a status message to each of the determined <u>one or more Set-</u> Top Boxes;

determining a current status of each of the determined <u>one or more</u>

Set-Top Boxes based on responses received to the <u>one or more</u> sent status messages; and

tracking audience information for the presented <u>digital</u> content based on the received event messages and on the determined current status of at least some of the Set-Top Boxes.

33. (Currently Amended) The method of claim 32 including determining a current <u>event</u> status for each of the Set-Top Boxes from which <u>an-a corresponding</u> event message <u>of the plurality of event messages</u> has been received during a predetermined period of time based on those received event messages.

12-20-06;03:26PM; ;1-732-321-3030 # 9/ 26

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNE	EY DOCKET NO.
09/945,350	08/31/2001	Eddle Drake	2005	P12937US
		E)	CAMINER	
0	11-1-07-01	Saltare	III, Dominic D.	
Hespo	onse Under 37 C.I	H. §1.116	ART UNIT	PAGE NUMBER
			2622	9

- 34. (Withdrawn) The method of claim 32 wherein multiple groups of content are being simultaneously presented to distinct content presentation devices, and including tracking audience information for each of the multiple groups of content.
- 35. (Currently Amended) The method of claim 32 wherein the receiving of the <u>plurality of</u> event messages is in real-time with respect to the corresponding interaction interactions.
- 36. (Currently Amended) The method of claim 32 wherein the <u>plurality of</u> event messages each additionally include information related to <del>one or more of</del> the <u>one or more viewers</u> of the content presentation device associated with the <u>one</u> Set-Top Box from which the event message was received.
- 37. (Withdrawn) The method of claim 32 wherein the event messages each additionally include information related to the content being presented when the interaction occurs with the Set-Top Box from which the event message was received.
- 38. (Currently Amended) The method of claim 32 including presenting the <u>digital</u> content to the content presentation <u>devices device</u>.
- 39. (Currently Amended) The method of claim 32 including sending the digital content to the Set-Top Boxes for presentation on the content presentation devices associated with the corresponding Set-Top Boxes.
- 40. (Original) The method of claim 10 wherein the content presentation device is a television.
- 41. (Original) The method of claim 32 wherein the status message is sent using a reliable transmission protocol.
  - 42. (Original) The method of claim 32 wherein the status message is a ping message.

12-20-06;03:26PM; ;1-732-321-3030 # 10/ 26

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNI	Y DOCKET NO.	
09/945,350	08/31/2001	Eddle Drake	2009	P12937US	
			E	KAMINER	
				Selterelli, Dominic D.	
Hespo	nse Under 37 C.F	H. §1.116	ART UNIT	PAGE NUMBER	
			2623	9	

- 43. (Currently Amended) The method of claim 32 including requesting status information from at least one of the Set-Top Boxes that is related to the at least determined one or more Set-Top-Bex Boxes, and in response receiving the requested status information and using the received information in the determining of a the current status for the at least one or more Set-Top BexBoxes.
- 44. (Currently Amended) The method of claim 32 including requesting from at least one of the Set-Top Boxes information from one or more of the viewers of the a corresponding content presentation device associated with each Set-Top Box, and in response receiving the requested viewer information and using the received information in the tracking of the audience information.
- 45. (Currently Amended) The method of claim 32 wherein the digital content is sent from a content server to the multiple Set-Top Boxes in a multi-cast mode.
- 46. (Currently Amended) The method of claim 32 wherein distinct <u>digital</u> content is sent from a content server to each of the multiple Set-Top Boxes in a single-cast mode.
- 47. (Currently Amended) A computer-readable medium whose contents encoded with computer software adapted to cause a computing device to menitor interactions between viewers of content presented on remote content presentation devices and remote computing devices associated with those content presentation devices, the remote computing devices for assisting in presenting the content to the viewers, the monitoring of the interactions by performing perform a method comprising:

at the computing device, the computing device adapted to monitor previous displays of a specified advertisement and analyze subsequent interaction events to determine a disapproval by advertisement viewers of the specified advertisement, the computing device adapted to change advertisement content responsive to the disapproval by advertisement viewers:

	APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNE	Y DOCKET NO.
_	09/945,350	08/31/2001	Eddie Drake	2005	P12937US
			EXAMINER		
	Pospo	Saltarelli, Dominic D.			
	nespo	nse Under 37 C.F	n. 91.110	ART UNIT	PAGE NUMBER
			·	2623	10

receiving a plurality of event messages that are each sent from one of the-multiple remote computing devices in response to an interaction with that the one remote computing device by one or more viewers of a content presentation device associated with that the one remote computing device; determining one or more of the remote computing devices from which an event message has not been received for a predetermined period of time;

sending a status message to each of the determined <u>one or more</u> remote computing devices; and

determining a current status of each of the determined <u>one or more</u> remote computing devices based on responses received to the sent status message, so that audience information for the presented <u>digital</u> content can be tracked based on the received event messages and on the determined current status of at least some of the remote computing devices.

- 48. (Original) The computer-readable medium of claim 23 wherein the computing device is an Audience Tracking Server.
- 49. (Currently Amended) A computing device for monitoring interactions between viewere of content presented on remote content presentation devices and remote computing devices associated with those content presentation devices, the remote computing devices for associating in presenting the content to the viewers, comprising:

a message receiver component capable of receiving a plurality of event messages that are each sent from one of the multiple remote computing devices in response to an interaction with that the one remote, computing device by one or more viewers of a content presentation device associated with that the one remote computing device;

a remote computing device status component capable of determining one or more of the remote computing devices from which an event message has not been received for a predetermined period of time, of sending a status message to each of the determined <u>one or more</u> remote computing devices, and of determining a current status of each of the

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNE	Y DOCKET NO.
09/945,350	08/31/2001	Eddle Drake	2005P12937US	
		EXAMINER Saltarelli, Dominic D.		
Respo	Response Under 37 C.F.R. §1.116			010511111050
•		_	ART UNIT	PAGE NUMBER
			2623	11

determined <u>one or more</u> remote computing devices based on responses received to the <u>one</u> <u>or more</u> sent status messages; and

an audience tracker component capable of tracking audience information for the presented digital content based on the received event messages and on the determined current status of at least some of the remote computing devices, the audience tracker adapted to monitor previous displays of a specified advertisement and analyze subsequent interaction events to determine a disapproval by advertisement viewers of the specified advertisement, the computing device adapted to change advertisement content responsive to the disapproval by advertisement viewers.

50. (Currently Amended) A method for selecting content to be presented to multiple display devices each associated with one of multiple remote Set Top Bexes, the selecting based on event messages provided by the Set Top Bexes, the method-comprising:

at a server, the server adapted to monitor previous displays of a specified advertisement and analyze subsequent interaction events to determine a disapproval by advertisement viewers of the specified advertisement, the server adapted to change advertisement content responsive to the disapproval by advertisement viewers:

receiving a plurality of event messages that are each sent from one of the-multiple Set-Top Boxes in response to an interaction with that the one Set-Top Box by one or more viewers of the a corresponding display device associated with that the one Set-Top Box;

identifying, from the event messages, viewers to whom the digital content is currently being presented; and

selecting, based on the identified viewers, distinct <u>digital</u> content to be presented to the-multiple display devices.

51. (Currently Amended) The method of claim 50 wherein the selected <u>digital</u> content is an the specified advertisement.

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNE	Y DOCKET NO.
09/945,350	08/31/2001	Eddie Drake	2005P12937US	
		EXAMINER		
Посос		Şaltare	ili, Dominic D.	
Hespo	nse Under 37 C.I	r.H. 91.116	ART UNIT	PAGE NUMBER
			2623	12

- 52. (Currently Amended) The method of claim 51 wherein the <u>specified</u> advertisement is selected based on the demographics of the <u>one or more</u> viewers.
- 53. (Currently Amended) The method of claim 52 wherein a certainthe specified advertisement is selected only when the demographics of the one or more viewers exceeds a threshold.
- 54. (Currently Amended) The method of claim 51 wherein the <u>specified</u> advertisement is selected based on a number of viewers.
- 55. (Currently Amended) The method of claim 54 wherein a cortain the specified advertisement is selected only when the number of the viewers exceeds a threshold.
- 56. (Currently Amended) The method of claim 50 wherein the selected <u>digital</u> content is presented on the <u>multiple</u> display devices only temporarily.
- 57. (Currently Amended) The method of claim 50 wherein the distinct <u>digital</u> content is selected based on a change in demographics of the <u>identified</u> viewers in at least near <del>real/time</del>real-time.
- 58. (Currently Amended) The method of claim 50 wherein the distinct <u>digital</u> content is selected based on a change in a number of the <u>identified</u> viewers in at least near real-time.
- 59. (Currently Amended) The method of claim 50 wherein the distinct <u>digital</u> content is selected based on a real-time change in the <u>identified</u> viewers.
- 60. (Currently Amended) The method of claim 50 including sending the selected <u>digital</u> content to the multiple display devices for presentation.

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNE	Y DOCKET NO.	
09/945,350	08/31/2001	Eddio Drako	2005P12937US		
			Đ	CAMINER	
Danne				lli, Dominic D.	
Hespo	onse Under 37 C.I	r.H. §1.116	ART UNIT PAGE NUMBER		
			2524	13	

- 61. (Currently Amended) The method of claim 50 including notifying a content server to send the selected <u>digital</u> content to the multiple display devices for presentation.
- 62. (Currently Amended) The method of claim 50 wherein the distinct <u>digital</u> content is one of multiple different groups of content available for selection, and wherein the distinct <u>digital</u> content is selected for presentation in a manner so as to maximize revenue provided by a third party based on the <del>current</del>-identified viewers.
- 63. (Currently Amended) The method of claim 50 wherein the distinct <u>digital</u> content is one of multiple different groups of content available for selection, and wherein the distinct <u>digital</u> content is selected for presentation in a manner so as to maximize interest in the <del>current-identified</del> viewers in continuing to view <del>the-presentation</del> of content.
- 64. (Currently Amended) A method for selecting content to be presented to multiple display devices each associated with one of multiple remote Set Top Boxes, the selecting based on event messages provided by the Set-Top Boxes, the method-comprising:

at a server, the server adapted to monitor previous displays of a specified advertisement and analyze subsequent interaction events to determine a disapproval by advertisement viewers of the specified advertisement, the server adapted to change advertisement content responsive to the disapproval by advertisement viewers:

receiving a plurality of event messages that are each sent from one of the multiple Set-Top Boxes in response to an interaction with that the one Set-Top Box by one or more viewers of the a corresponding display device associated with that the one Set-Top Box:

identifying, from the event messages, viewers to whom the <u>digital</u> content is currently being presented: and

selecting based on the identified viewers distinct <u>digital</u> content to be presented to the multiple display devices:

wherein the distinct <u>digital</u> content is one of multiple different groups of <u>digital</u> content available for selection, and wherein the distinct <u>digital</u> content is

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORN	Y DOCKET NO.
09/945,350	08/31/2001	Eddle Drake	2005	P12937US
		EXAMINER		
0	H-d 07 O		Saltare	III, Dominic D.
Hespoi	nse Under 37 C.I	H. §1.116	ART UNIT	PAGE NUMBER
			0000	

selected for presentation in a manner so as to minimize interest in the <del>current</del> identified viewers in continuing to view the presentation of <u>digital</u> content.

- 65. (Currently Amended) The method of claim 50 wherein the distinct <u>digital</u> content is one of multiple different groups of <u>digital</u> content available for selection, and wherein the distinct <u>digital</u> content is selected for presentation in a manner so as to maximize interest in viewers to whom other <u>digital</u> content is being presented to select the distinct <u>digital</u> content for viewing.
- 66. (Currently Amended) A computer-readable medium whose contents encoded with computer software adapted to cause a computing device to select content to be presented to multiple display devices each associated with one of multiple remote computing devices, the selecting based on event messages provided by the remote computing devices, the selecting of the content by performing perform a method comprising:

at a server, the server adapted to monitor previous displays of a specified advertisement and analyze subsequent interaction events to determine a disapproval by advertisement viewers of the specified advertisement, the server adapted to change advertisement content responsive to the disapproval by advertisement viewers:

receiving a plurality of event messages that are each sent from one of the-multiple remote computing devices in response to an interaction with that the one remote computing device by one or more viewers of the a corresponding display device associated with that the one remote computing device:

identifying, from the event messages, viewers to whom the <u>digital</u> content is currently being presented; and

selecting based on the identified viewers distinct <u>digital</u> content to be presented to the multiple display devices.

12-20-06;03:26PM; ;1-732-321-3030 # 16/ 26

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNE	Y DOCKET NO.	
09/945,350	08/31/2001	Eddle Drake	2008	P12937US	
			EXAMINER		7
Deane	Hadar 07 O C	·D 04 440	Saltarelli, Dominic D.		
Respo	nse Under 37 C.F	r.H. §1.116	ART UNIT	PAGE NUMBER	
		•	2623	15	_

67. (Currently Amended) A method for selecting content to be presented to a television associated with a remote-Set-Top-Box, the selecting-based on event messages provided by the Set-Top-Bex, the method-comprising:

at a server, the server adapted to monitor previous displays of a specified advertisement and analyze subsequent interaction events to determine a disapproval by advertisement viewers of the specified advertisement, the server adapted to change advertisement content responsive to the disapproval by advertisement viewers:

receiving one or more event messages from the <u>a\_Set-Top Box</u> that are each in response to an interaction with that the Set-Top Box by one or more viewers of the <u>an</u> associated television;

identifying, from the event messages, one or more viewers to whom the digital content is currently being presented; and

selecting based on the identified <u>one or more viewers distinct digital</u> content to be presented to the television.

- 68. (Currently Amended) The method of claim 67 wherein the distinct <u>digital</u> content is selected based on the demographics of multiple viewers of the television.
- 69. (Currently Amended) The method of claim 67 wherein a certain advertisement is selected as the distinct <u>digital</u> content based on real-time demographics of the <u>one or more</u> viewers.
- 70. (Currently Amended) The method of claim 67 wherein the distinct <u>digital</u> content is selected based on a type of one or more <del>of the interactions that are not content control</del> instructions.
- 71. (Currently Amended) A computer-readable medium whose contents encoded with computer software adapted to cause a computing device to select content to be presented to a television associated with a remote computing device; the selecting based on event

12-20-06;03:26PM; ;1-732-321-3030 # 17/ 26

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNE	EY DOCKET NO	
09/945,350	08/31/2001	Eddle Drake	2005	P12937US	
		EXAMINER			
· _			Saltarelli, Dominic D.		
Respo	nse Under 37 C.I	F.H. §1.116	ART UNIT	PAGE NUMBER	
			2622	16	

messages provided by the computing device, the selecting of the centent by performing perform a method comprising:

at a server, the server adapted to monitor previous displays of a specified advertisement and analyze subsequent interaction events to determine a disapproval by advertisement viewers of the specified advertisement, the server adapted to change advertisement content responsive to the disapproval by advertisement viewers:

receiving one or more event messages from the <u>a</u>remote computing device that are each in response to an interaction with that the remote computing device by one or more viewers of the <u>an</u> associated television; identifying, from the <u>one or more</u> event messages, one or more viewers to whom the <u>digital</u> content is currently being presented; and selecting, based on the identified <u>one or more</u> viewers, distinct <u>digital</u> content to be presented to the television.

72. (Withdrawn) A method for detecting unauthorized viewing of content being presented to multiple display devices each associated with one of multiple remote Set-Top Boxes, the method comprising:

receiving a plurality of event messages that are each sent from one of the multiple Set-Top Boxes in response to an interaction with that Set-Top Box by one or more viewers of the display device associated with that Set-Top Box; and

identifying from the event messages that the content is not authorized to be presented on the display device associated with one of the Set-Top Boxes.

- 73. (Withdrawn) The method of claim 72 including halting the sending of the content to the display device associated with the one Set-Top Box based on the identifying.
- 74. (Withdrawn) The method of claim 72 wherein the identifying is based on information in one or more event messages received from the one Set-Top Box.

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNE	Y DOCKET NO.
09/945,350	08/31/2001	Eddle Drake	2005	P12937US
		EXAMINER Saltarelli, Dominic D.		
D	I II on <b>o</b> f			
Hespo	nse Under 37 C.F	H. §1.116	ART UNIT	PAGE NUMBER
			2623	17

- 75. (Withdrawn) The method of claim 72 wherein the identifying is based on not receiving one or more event messages from the one Set-Top Box.
- 76. (Withdrawn) The method of claim 72 wherein the identifying is performed in a real-time manner.
- 77. (Withdrawn) A computer-readable medium whose contents cause a computing device to detect unauthorized viewing of content being presented to multiple display devices each associated with one of multiple remote computing devices, the detecting of the unauthorized viewing by performing a method comprising:

receiving a plurality of event messages that are each sent from one of the multiple remote computing devices in response to an interaction with that remote computing device by one or more viewers of the display device associated with that remote computing device; and

identifying from the event messages that the content is not authorized to be presented on the display device associated with one of the remote computing devices.

78. (Withdrawn) A method for monitoring content being presented on one or more remote display devices each associated with a distinct remote Set-Top Box, the monitoring based on event messages provided by the Set-Top Boxes, the method comprising:

receiving an indication to monitor content being presented on one or more remote display devices each associated with a distinct remote Set-Top Box;

receiving one or more event messages from one or more of the Set-Top Boxes that are each in response to an interaction with one of the Set-Top Boxes by one or more viewers of the display device associated with that one Set-Top Box;

determining based on the received event messages the content that is being presented on the display devices; and providing an indication of the determined content.

79. (Withdrawn) The method of claim 78 including presenting the determined content.

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNI	EY DOCKET NO.
09/945,350	08/31/2001	Eddle Drake	200	5P12937US
		•	E	KAMINER
Dana		Saltare	ill, Dominic D.	
Hespo	onse Under 37 C.F	H. §1.116	ART UNIT	PAGE NUMBER
			0000	10

- 80. (Withdrawn) The method of claim 78 including verifying authority of a requester that supplied the indication to monitor the content before the providing of the indication of the determined content to the requester.
- 81. (Withdrawn) The method of claim 78 including monitoring multiple distinct groups of content each being presented on at least one remote display device associated with a remote Set-Top Box based on event messages received from those Set-Top Boxes, and providing indications of the multiple distinct groups of content simultaneously.
  - 82. (Withdrawn) The method of claim 78 wherein the monitoring is performed in real-time.
- 83. (Withdrawn) A computer-readable medium whose contents cause a computing device to monitor content being presented on one or more remote display devices each associated with a distinct remote computing device, the monitoring based on event messages provided by the remote computing devices, the monitoring of the content by performing a method comprising:

receiving an indication to monitor content being presented on one or more remote display devices each associated with a distinct remote computing device;

receiving one or more event messages from one or more of the computing devices that are each in response to an interaction with one of the computing devices by one or more viewers of the display device associated with that one computing device;

determining based on the received event messages the content that is being presented on the display devices; and providing an indication of the determined content.

84. (Original) A method for determining popularity of at least one of multiple groups of content each being presented to multiple display devices, each display device associated with one of multiple remote Set-Top Boxes, the method comprising:

receiving a plurality of event messages that are each sent from one of the multiple Set-Top Boxes in response to an interaction with that Set-Top Box by one or more viewers of the display device associated with that Set-Top Box; 12-20-06;03:26PM; ;1-732-321-3030 # 20/ 26

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Hespo	nse Under 37 C.	r.H. §1.116	ART UNIT	PAGE NUMBER
		EXAMINER Saltarelli, Dominic D.		
09/945,350	08/31/2001	Eddio Drako	2009	P12937US
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNE	Y DOCKET NO.

determining based on the received event messages a number of display devices on which at least one of the multiple groups of content is being presented; and providing an indication of the determined number of display devices for at least one of the multiple groups of content.

- 85. (Withdrawn) The method of claim 84 wherein the number of display devices is determined for each of the multiple groups of content, and wherein the providing of the indication includes providing an indication of the one group of content.
- 86. (Withdrawn) The method of claim 84 including determining based on the received event messages a number of viewers viewing at least one of the multiple groups of content.
- 87. (Withdrawn) The method of claim 84 wherein the determining of the number of display devices is performed in a real-time manner.
- 88. (Withdrawn) A computer-readable medium whose contents cause a computing device to determine popularity of at least one of multiple groups of content each being presented to multiple display devices, each display device associated with one of multiple remote computing devices, the determining of the popularity by performing a method comprising:

receiving a plurality of event messages that are each sent from one of the multiple remote computing devices in response to an interaction with that remote computing device by one or more viewers of the display device associated with that remote computing device;

determining based on the received event messages a number of display devices on which at least one of the multiple groups of content is being presented; and

providing an indication of the determined number of display devices for at least one of the multiple groups of content.

89. (Withdrawn) A method for adjusting user interface functionality provided in conjunction with content being presented on a remote display device associated with a remote Set-Top

				2822	20
	nespo	ilise Oliuel 37 C.F.	n. 91.110	ART UNIT	PAGE NUMBER
	Poene	nse Under 37 C.F.I	D &1 116	Saltarelli, Dominic D.	
	09/945,350	08/31/2001	Eddie Drake		F12937US
Į	APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR		EY DOCKET NO.

Box, the adjusting based on event messages provided by the Set-Top Box, the method comprising:

receiving one or more event messages from the Set-Top Box that are each in response to an interaction with that Set-Top Box during which one or more viewers of the associated display device invoke provided user interface functionality;

determining based on the user interface functionality invocations to adjust the user interface functionality provided to the viewers; and

adjusting the user interface functionality provided to the viewers.

- 90. (Withdrawn) The method of claim 89 wherein the adjusting of the provided user interface functionality includes enhancing the provided user interface functionality based on a level of previous user interface functionality invocations.
- 91. (Withdrawn) The method of claim 89 wherein the adjusting of the provided user interface functionality includes decreasing the provided user interface functionality based on a level of previous user interface functionality invocations.
- 92. (Withdrawn) The method of claim 89 wherein the adjusting of the provided user interface functionality includes modifying types of content flow control functionality provided.
- 93. (Withdrawn) The method of claim 89 including providing a warning to the viewers based on the previous user interface functionality invocations.
- 94. (Withdrawn) The method of claim 89 wherein the adjusting is performed in a real-time manner.
- 95. (Withdrawn) A computer-readable medium whose contents cause a computing device to adjust user interface functionality provided in conjunction with content being presented on a remote display device associated with a remote computing device, the adjusting based on

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNE	Y DOCKET NO.
09/945,350	08/31/2001	Eddie Drake	2005	P12937US
		EXAMINER		
			Saltarelli, Dominic D.	
Hespo	nse Under 37 C.F	ART UNIT	PAGE NUMBER	
		'	2622	91

event messages provided by the remote computing device, the adjusting by performing a method comprising:

receiving one or more event messages from the remote computing device that are each in response to an user interface functionality

interaction with that remote computing device by one or more viewers of the associated display device;

determining based on the user interface functionality interactions to adjust the user interface functionality provided to the viewers; and adjusting the user interface functionality provided to the viewers.

96. (Withdrawn) A method for determining reactions of viewers to content being presented to multiple display devices, each display device associated with one of multiple remote Set-Top Boxes, the method comprising:

receiving a plurality of event messages that are each sent from one of the multiple Set-Top Boxes in response to an interaction with that Set-Top Box by one or more viewers of the display device associated with that Set-Top Box;

determining based on the received event messages the display devices that change whether the content is being presented; and

providing an indication of the reaction of the viewers to the content based on the determined display device changes.

- 97. (Withdrawn) The method of claim 96 wherein the determining is based on interactions that occur during the presenting of the content.
- 98. (Withdrawn) The method of claim 96 wherein the determining is based on interactions that occur shortly after ending the presenting of the content.
- 99. (Withdrawn) The method of claim 96 wherein the determining is based on interactions that occur shortly after beginning the presenting of the content.

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNE	Y DOCKET NO.
09/945,350	08/31/2001	Eddle Drake	2005	P12937US
		EXAMINER		
Dooma	anna I landon 27 C S	TD 64 446	Saltare	III, Dominic D.
nespo	nse Under 37 C.	m, 91.110 /	ART UNIT	PAGE NUMBER
			2623	22

- 100. (Withdrawn) The method of claim 96 wherein the indicated reaction is negative when the determined display changes show the display devices stopping the presenting of the content.
- 101. (Withdrawn) The method of claim 96 wherein the determining is performed in a real-time manner.
- 102. (Withdrawn) A computer-readable medium whose contents cause a computing device to determine reactions of viewers to content being presented to multiple display devices, each display device associated with one of multiple remote computing devices, the determining of the reaction by performing a method comprising:

receiving a plurality of event messages that are each sent from one of the multiple remote computing devices in response to an interaction with that remote computing device by one or more viewers of the display device associated with the remote computing device;

determining base on the received event messages the display devices that change whether the content is being presented; and providing an indication of the reaction of the viewers to the content based on the determined display device changes.